







FIG. 1A*FIG. 1C**FIG. 1B**FIG. 1D*


FIG. 2



(Observed from the front surface)



FIG. 3A

Axes are not shifted

FIG. 3B

Axes are shifted

(Observed with a cell tilted)

FIG. 3C*FIG. 3D*

(Areas of light and dark portions become nonuniform;
as a result, roughness is observed)



FIG. 4A*FIG. 4B*

FIG. 5A




FIG. 5B




FIG. 5C




FIG. 6




FIG. 7




400

FIG. 8A*FIG. 8B*

Directions of polarization axes
of polarizing plates


FIG. 9

FIG. 10A




FIG. 10B




FIG. 10C




FIG. 10D






FIG. 11A*FIG. 11B*



FIG. 12A*FIG. 12B*

FIG. 13




FIG. 14




FIG. 15




FIG. 16






FIG. 17*FIG. 18*



FIG. 19A*FIG. 19B*



FIG. 20*FIG. 21*

FIG. 22A




FIG. 22B





FIG. 23

FIG. 24






FIG. 25A*FIG. 25B*

FIG. 26




FIG. 27





FIG. 28


FIG. 29





FIG. 30A*PRIOR ART**FIG. 30B**PRIOR ART*

FIG. 31



PRIOR ART

FIG. 32



PRIOR ART


FIG. 33*PRIOR ART*



FIG. 34*PRIOR ART**FIG. 35**PRIOR ART*




FIG. 36*PRIOR ART*

FIG. 37

700



PRIOR ART

FIG. 38

(In the case of a large panel, a viewing angle is greatly
changed depending upon the position of an observer)

PRIOR ART